



SALUS
SCIENTIFIC™

WE'VE GOT YOUR BACK

SALUS SCIENTIFIC CATALOG

/ ABOUT SALUS SCIENTIFIC

We are dedicated to innovating and transforming the radiation protection market.

OUR MISSION

Salus Scientific Corp., a leader in manufacturing advanced radiation protection solutions, is committed to eliminating occupational hazards for healthcare professionals, reducing risks for employers, and enhancing safety in the fluoroscopy suite. With a focus on innovation, education, and industry insight, we strive to create a safer working environment for our healthcare heroes. Our flagship product, the GLiFT, is designed to alleviate shoulder, neck, and back strain caused by conventional heavy lead aprons used in radiation shielding. As a dedicated manufacturer, we remain at the forefront of radiation safety.

WHY CHOOSE US?

- Industry Innovator
- Customizable Solutions
- Superb Sales Support
- Regulatory compliance and certifications

CONNECT WITH OUR TEAM

- For more information, visit: www.theglift.com
- For pricing and other inquiries, please contact: sales@salusscientific.com
- For customer service needs, please contact: customerservice@salusscientific.com

PRODUCTS SOLD AS SYSTEMS

All GLiFT and SALUS products are offered as Systems. Garments may be sold separately, including accessories.


- **GLiFT SYSTEMS Include:** Endoskeleton, Belt, Sleeve, Thyroid Shield, and Pocket Art Embroidery
- **SALUS SYSTEMS Include:** Sleeve, Thyroid Shield, and Pocket Art Embroidery



GLiFT SYSTEMS



GLiFT ONE F SYSTEM FRONT ENTRY / MESH BACK



DESCRIPTION

- Featuring a protective lead front, and open back design, this unisex apron ensures superior shielding for the chest and lower body.
- Includes front closure panels for a secure fit, reinforced stitching for endoskeleton compatibility, and reinforced front pocket.
- The lightweight design, with an open mesh back, provides a balance between protection and ventilation.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



GLiFT ONE S SYSTEM SIDE ENTRY / MESH BACK



DESCRIPTION

- Featuring frontal coverage and side buckle closure, this unisex, open-back apron ensures strong front-side protection while reducing weight, improving ventilation, and enhancing mobility.
- Includes a side closure, reinforced stitching for endoskeleton compatibility, and reinforced pocket.
- Easy to wear and remove, this is the lightest garment in our collection in the GLiFT collection.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



GLiFT ONE MOD F SYSTEM FRONT ENTRY / MESH BACK



DESCRIPTION

- Designed for the endoskeleton, this front entry unisex apron offers versatile wear options, making it ideal for extended use.
- Allows for quick transitions between full 360-degree protection or frontal-only coverage as needed.
- Includes the two fit styles—full or open back—with a hook-and-loop closure for easy entry, as well as a reinforced front pocket for added convenience.


SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



GLiFT ONE MOD S SYSTEM

SIDE ENTRY / MESH BACK



DESCRIPTION

- Designed for the endoskeleton, this side entry unisex apron offers versatile wear options, making it ideal for extended use.
- Allows for quick transitions between full 360-degree protection or frontal-only coverage as needed.
- Includes the two fit styles—full or open back—with a side entry hook-and-loop closure for easy entry, as well as a reinforced front pocket for added convenience.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



ADAPTIVE APRON SYSTEM



DESCRIPTION

- This unisex, universally fitted garment is designed to suit a wide range of body types.
- Includes a front zipper, side and shoulder hook-and-loop panels, and a reinforced pocket.
- Paired with the endoskeleton, this apron offers healthcare professionals a versatile, easy-to-fit option that eliminates the need for precise sizing.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Available in SM and ML
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



GLiFT ONE - STANDARD APRON SYSTEM



DESCRIPTION

- Designed for compatibility with the GLiFT endoskeleton, the apron provides ergonomic spinal support with full chest, back, sides, and lower body coverage.
- Adjustable front panels ensure a secure fit, along with reinforced stitching for endoskeleton compatibility, and a reinforced front pocket.
- Provides ease of movement, enabling users to focus on their tasks without compromising safety, making it an ideal choice for minimizing radiation exposure risks.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



GLiFT TWO PIECE SYSTEM - VEST AND KILT



DESCRIPTION

- The Two-Piece unisex system, including a vest and kilt, provides comprehensive coverage of the chest, sides, back and lower body; also compatible with the GLiFT endoskeleton.
- Adjustable, hook and loop closures, ensure a secure fit with reinforced stitching for endoskeleton compatibility. The vest includes a reinforced front pocket and the kilt's hook and loop closure, fits seamlessly with the GLiFT.
- The two-piece lead apron offers healthcare professionals dependable radiation protection, combining comfort and durability.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art



**SALUS
SCIENTIFIC™**

**SALUS
SYSTEMS**

SALUS SUMMIT APRON KIT



DESCRIPTION

- The unisex apron, with a rear entry, crosshatch closure at the waist, offers plural coverage options to ensure a desired fit.
- The apron is available in two coverage options:
 - Partial: Offers greater ventilation and is slightly lighter.
 - Full: Provides complete coverage in the back.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Pocket Art

SALUS SUMMIT VEST SYSTEM (VEST AND KILT)



DESCRIPTION

- Offers optimal weight distribution with a rear-entry crosshatch closure at the waist.
- The vest is available in two coverage options:
 - Partial: Slightly lighter, featuring crisscross wraps on the back.
 - Full: Provides complete rear coverage (as shown).

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Pocket Art

SALUS ERGO VEST SYSTEM (VEST AND KILT)




DESCRIPTION

- The unisex two-piece system offers enhanced mobility while providing full coverage of the chest, back, and lower body.
- The vest features wrap around hook-and-loop closures for a secure fit and a reinforced front pocket, while the skirt includes a hook-and-loop side closure for easy wear.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Belt Pocket Art

SALUS STANDARD APRON



DESCRIPTION

- The Salus Standard butcher apron offers maximum radiation protection while offering flexibility and comfort with full chest, back, and lower body coverage.
- Includes front closure hook and loop panels to ensure a secure fit along with a reinforced front pocket.
- Ideal choice for minimizing radiation exposure risks

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Pocket Art

SALUS TWO PIECE SYSTEM VEST AND KILT



DESCRIPTION

- The unisex two-piece system provides enhanced mobility while ensuring full coverage of the chest, back, and lower body.
- Includes the vest include adjustable hook-and-loop panel closures for a secure fit and a reinforced front pocket.
- The kilt features a convenient hook-and-loop side closure for easy wear.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom or Stock (S – XL)
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red
System Includes:	Thyroid Shield Sleeve Pocket Art



WE'VE GOT YOUR BACK



SALUS
SCIENTIFIC™

ACCESSORIES

THYROID SHIELDS




DESCRIPTION

- Our shield offers reliable coverage while remaining lightweight and comfortable for extended wear.
- Key features include three closure options that allow for easy adjustments and a snug fit, ensuring optimal coverage around the neck.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Closure	Velcro
Options:	Buckle
	Magnet
Sizing:	Custom only
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red

SLEEVES



DESCRIPTION

- Designed to provide targeted shielding for the arms during procedures, ensuring reliable protection while allowing for freedom of movement.
- Key features include a customized, comfortable fit, reinforced stitching for long-lasting durability, and a lightweight design that reduces fatigue during extended use, making it a convenient addition to your radiation safety gear.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Sizing:	Custom only
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red

KILTS



DESCRIPTION

- The kilt's design contours comfortably to the body, featuring adjustable closures to support a customizable fit.
- With reinforced stitching and lightweight construction, the kilt provides superior shielding against radiation.
- Also compatible with the GLiFT endoskeleton.

SYSTEM SPECIFICATIONS

Core	Bi-Layer Lead Free
Options:	Lightweight Lead
Lead	0.25 MM
Equivalency	0.35 MM
Options:	0.50 MM
Closure	Velcro
Options:	Buckle Magnet
Sizing:	Custom only
Body and Trim Colors:	Black, Navy, Grey, Wine, Green, Citrus Green, Turquoise, Royal Blue, Pink, Plum, Periwinkle, Orange, Miami, Red

BELTS



DESCRIPTION

- Compatible with GLiFT systems only, the sized and adjustable belts are made with memory foam and spacer mesh, which provides extra support and regulates temperature for added comfort.
- Available in numerous sizes, see belt size chart on the right.

BELT SIZE CHART

Waist Size	Belt Size
30 in - 34 in	32
35 in - 36 in	33
37 in - 38 in	34
39 in - 41 in	35
42 in	36
43 in	37
44 in	38
45 in	39
46 in	40
47 in	41
48 in	42
49 in	43

ENDOSKELETONS



DESCRIPTION

- Redistributes the weight of heavy lead aprons from your neck, shoulders, and back to reduce fatigue and injuries.
- Rigid mantis bars that transfer weight to the pelvic bone for better distribution
- Adjustable belt, with memory foam and spacer mesh, provides extra support and regulates temperature for added comfort
- Adjustable configuration to fit most spine curvatures




SALUS
SCIENTIFIC™

WE'VE GOT YOUR BACK

SYSTEM OPTIONS


BODY AND TRIM COLOR CHART




Black




Navy




Grey




Wine




Green




Citrus Green



Turquoise




Royal Blue




Pink




Plum




Periwinkle



Orange



Miami



Red

RADIATION PROTECTION CORE MATERIAL

ATTENUATION LEVELS**

BI-LAYER		LIGHTWEIGHT LEAD	
LEAD THICKNESS (MM PB)	ATTENUATION @ 100 KVP*	LEAD THICKNESS (MM PB)	ATTENUATION @ 100 KVP*
0.25 mm	85-88%	0.25 mm	80-85%
0.35 mm	95-97%	0.35 mm	90-95%
0.50 mm	99%	0.50 mm	97-99%

*kVp stands for kilovolt peak and refers to the peak voltage applied to the X-ray tube in diagnostic imaging. It is a key parameter that determines the energy and penetrating power of the X-rays produced.

**Data Source: Kemmetech Ltd. April 2020

WEIGHT BY GARMENT TYPE

SYSTEM WEIGHT (LBS)								
	BODYWEIGHT							
	100 - 130 LBS		130-160 LBS		160-190 LBS		190 - 220 LBS	
	BL	LL	BL	LL	BL	LL	BL	LL
GLiFT ONE-S								
0.25 mm	8 lbs	9 lbs	8 lbs	9 lbs	8 lbs	10 lbs	9 lbs	10 lbs
0.35 mm	10 lbs	11 lbs	10 lbs	12 lbs	10 lbs	12 lbs	11 lbs	13 lbs
0.50 mm	12 lbs	14 lbs	13 lbs	15 lbs	13 lbs	16 lbs	14 lbs	17 lbs
GLiFT ONE-F								
0.25 mm	9 lbs	10 lbs	9 lbs	11 lbs	10 lbs	11 lbs	10 lbs	12 lbs
0.35 mm	11 lbs	13 lbs	12 lbs	14 lbs	12 lbs	15 lbs	13 lbs	16 lbs
0.50 mm	15 lbs	18 lbs	15 lbs	18 lbs	16 lbs	19 lbs	17 lbs	20 lbs
FULL APRON (BUTCHER OR ERGO)								
0.25 mm	12 lbs	14 lbs	13 lbs	15 lbs	13 lbs	16 lbs	14 lbs	17 lbs
0.35 mm	16 lbs	19 lbs	17 lbs	20 lbs	17 lbs	21 lbs	18 lbs	22 lbs
0.50 mm	21 lbs	25 lbs	22 lbs	27 lbs	23 lbs	28 lbs	25 lbs	30 lbs
2 PIECE SYSTEM (SALUS, ERGO, SUMMIT)								
0.25 mm	14 lbs	16 lbs	14 lbs	17 lbs	15 lbs	18 lbs	15 lbs	18 lbs
0.35 mm	18 lbs	21 lbs	19 lbs	23 lbs	19 lbs	24 lbs	20 lbs	25 lbs
0.50 mm	24 lbs	29 lbs	25 lbs	31 lbs	26 lbs	32 lbs	27 lbs	33 lbs
ENDOSKELETON								
	2.6 lbs							
BELT								
	0.8 lbs							



SALUS
SCIENTIFIC™

WE'VE GOT YOUR BACK

TERMS AND CONDITIONS

G-LIFT AND SALUS PRODUCTS TERMS AND CONDITIONS

COMPLETE AGREEMENT OF TERMS AND CONDITIONS

Salus USA, LLC's, a wholly owned subsidiary of Salus Scientific Corp, issuance of all estimates and acceptance of Customer's purchase order of G-Lift and Salus Products ("Products") is made on the condition that these Terms and Conditions shall govern the sale of Products by Salus to Customer. Salus hereby objects to and rejects all additional, conflicting or inconsistent terms or conditions and any such terms or conditions submitted by Customer shall have no effect and shall not be part of the contract between Customer and Salus for the purchase and sale of Products. Failure of Salus to object to any provision contained in any order or other communication from Customer shall not be construed as a waiver of the terms and conditions set forth herein or an acceptance of any such provision. No addition to, modification of, or waiver of any provision of this Agreement shall be binding upon either party unless made in writing and signed by authorized representatives of both parties.

DELIVERY; TITLE; ACCEPTANCE

Salus will make commercially reasonable efforts to meet the delivery dates quoted or acknowledged in any issued estimates, but will not be liable for its failure to meet such dates. Upon Salus making delivery of the Products to the Customer's facility as identified in the purchase order and estimate:

- (i) title to and responsibility for the Products shall pass to Customer, and
- (ii) the Products shall be deemed accepted by Customer. Customer may not unreasonably delay or impede delivery and acceptance of the Products. Customer shall notify Salus of any shipping damage within five (5) days of receipt.

RETURNS, EXCHANGES, AND ORDER CANCELLATION

Except for warranty claims as detailed in Section 4, Salus will accept exchanges within fourteen (14) days of receipt of Products by Customer, which must be returned in the original condition and shipped at the expense of the Customer. Except for warranty claims as detailed in Section 4, Salus will accept returns within fourteen (14) days of receipt of Products by Customer, which must be returned in the original condition and shipped at the expense of the Customer; however, all returns under this Section 3 shall be subject to a twenty percent (20%) restocking fee ("Restocking Fee"). For any custom Product, Customer cancellation will incur a Restocking Fee if the cancellation notice, which must be in writing, is received two or more business days after Salus' receipt of the order form and/or Purchase Order. No cancellation of the order is permitted after Salus' shipment of the Product.

WARRANTY

For a period of two (2) years from the date of delivery, excluding eyewear, Salus warrants that the Products shall be free from defects in material and workmanship and conform to the manufacturer's specifications when delivered. All Eyewear shall have the aforementioned warranty for a period of one (1) year. **SALUS MAKES NO OTHER WARRANTIES, EXPRESS, STATUTORY OR IMPLIED, IN CONNECTION WITH THE PRODUCTS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY AS TO DESIGN, MERCHANTABILITY, OR FITNESS FOR ANY PURPOSE.** Any claim for breach of this warranty must be made in writing within two (2) years of the delivery of the Products by Salus. Salus' sole obligation for breach of this warranty shall be, at Salus' option, the repair or replacement of the breaching Products or an appropriate refund, allowance, or credit reflecting depreciation. This limited warranty does not include service to repair damage to the Product resulting from customer's negligence, misuse, modification of the Product, or use for purposes other than those intended by its manufacture. Does not cover excessive use or wear and tear from improper storage or customer abuse or failure to follow proper care guidelines.

LIMITATION OF LIABILITY AND INDEMNIFICATION

- (A) Limitation of Liability. In no event shall Salus' liability hereunder exceed the actual loss or damage sustained by Customer, up to the purchase price paid to Salus for the Products giving rise to such loss or damage; however, liability for intentional misbehavior and personal injury will not be limited. **SALUS SHALL NOT BE LIABLE FOR ANY LOSS OF USE, REVENUE OR ANTICIPATED PROFITS, COST OF SUBSTITUTE PRODUCTS OR SERVICES (UNLESS OTHERWISE AGREED TO BY SALUS. NEITHER PARTY WILL BE LIABLE TO THE OTHER PARTY FOR ANY INDIRECT, INCIDENTAL, UNFORESEEN, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THIS AGREEMENT.** The limitations of Salus liability contained herein shall apply to Salus and Salus' employees, agents and subcontractors performing under this Agreement, regardless of whether such liability is based on breach of contract, tort, strict liability, breach of warranties, failure of essential purpose or otherwise, and even if Salus or its employees, agents or subcontractors are advised of the likelihood of such damages.

G-LIFT AND SALUS PRODUCTS TERMS AND CONDITIONS

PAYMENT AND SHIPPING CHARGES

Unless otherwise agreed by executed written agreement, Customer shall pay all initial shipping charges and all shipping charges incurred under Section 3. Payment is due net thirty (30) from the date of the invoice. A late payment service charge of one and one-half percent (1.5%) per month or, if less, the highest amount permitted by law, may be applied to unpaid and past due invoices. Product prices do not include taxes, excise or other charges that may be required to pay to any government body (national, state or local) upon the sale, production or transportation of the Products, which shall be the responsibility of Customer. Customer payment by credit card shall incur an additional charge of 2.5%.

EXPORT

This Agreement applies only to domestic sale of the Products. Customer shall not export Products outside of the United States or its territories.

TECHNICAL ASSISTANCE

The warranty set forth herein shall not be enlarged, diminished or affected by, and no obligation or liability shall arise from, Salus' rendering of technical advice, assistance, or service in connection with Customer's selection, purchase, or use of the goods furnished hereunder. Customer is not relying on Salus' skill or judgment to select suitable goods.

CERTIFIED INTEGRATED SYSTEM

Use of unapproved parts or consumables with the Products will void any and all warranties and all obligations of Salus under any warranty or service contract Customer may have with Salus.

DISCLOSURE OF DISCOUNTS

Customer acknowledges that discounts, rebates, credits, free goods or services, coupons or other things of value which Customer may receive from Salus under this Agreement constitute a discount or reduction in price for purposes of 42 U.S.C. paragraph 1320a-7b(b)(3)(A) ("Discounts"). Customer agrees to file all appropriate reports and to properly disclose and reflect all Discounts in any report filed in connection with state or federal cost reimbursement programs.

MISCELLANEOUS

- (A) Salus is willing to sell goods to Customer only in consideration of and in reliance upon the provisions contained herein limiting Salus' liability. Such provisions constitute an essential part of the bargain underlying this purchase and sale of Products, and have been reflected in the purchase price and other consideration agreed upon by the parties.
- (B) A failure of or delay in performance shall be excused when caused by matters beyond Salus' reasonable control.
- (C) This Agreement contains all the terms and conditions with respect to the sale and purchase of the Products named herein and no modification of this Agreement shall be of any force unless such modification is reduced to writing and signed by an authorized representative of each party.
- (D) If Salus fails to enforce its rights against Customer at any time, it may enforce those rights later without waiver or at such other time that Customer fails to perform any of Customer's obligations.
- (E) THIS AGREEMENT SHALL BE GOVERNED BY, AND CONSTRUED IN ACCORDANCE WITH, THE LAWS OF THE STATE OF SOUTH CAROLINA, WITHOUT REFERENCE TO CONFLICTS OF LAW PROVISIONS. EACH OF THE PARTIES CONSENTS TO THE JURISDICTION AND VENUE OF FEDERAL AND STATE COURTS IN SOUTH CAROLINA FOR THE DETERMINATION OF ALL DISPUTES ARISING UNDER THIS AGREEMENT. CUSTOMER AND SALUS EACH EXPRESSLY WAIVE ALL RIGHTS TO TRIAL BY JURY IN ANY LITIGATION ARISING FROM OR RELATED TO THIS AGREEMENT.



**SALUS
SCIENTIFIC™**

WE'VE GOT YOUR BACK

www.theglift.com

Salus Scientific / 475 Jessen Lane, Suite 500
Charleston, SC 29492